

# Fundamentals of Traffic Operations and Control

---

Nikolas Geroliminis

[nikolas.geroliminis@epfl.ch](mailto:nikolas.geroliminis@epfl.ch)

# Course Information

---

- **Format:** 2 hrs of lecture per week + 1 hour of exercise-laboratory per week (on average)

## **Instructor in Charge**

Nikolas Geroliminis

- Office: GC C2 389      phone: [021 69] 32481

## **Grading**

- Homeworks 0%      Labs (2) 30%
- Mid-term 30%      Final Exam 40%


## **Textbook**

- Lecture notes, book chapters and handouts will be distributed throughout the semester, or posted on web.

## **The team**

- *Claudia Bongiovanni, Isik Sirmatel, Semin Kwak, Oliver Buschor*

# Smart and Complex Mobility



# Educational Goals

---

- ❑ High level of technical expertise to succeed in positions in transportation engineering practice/research in CH and worldwide
- ❑ Produce engineering designs that are based on sound principles and consider functionality, safety, cost effectiveness and sustainability
- ❑ Fundamental knowledge to pursue lifelong learning such as graduate work

## Course OBJECTIVES

- ❑ Introduce the major elements of transportation and create awareness of the broader context
- ❑ Develop basic skills in applying the fundamentals of the transportation field
- ❑ Be prepared for further study in this field

# Transportation Infrastructure

---

- ❑ Critical Components of Transportation Infrastructure System
  - Drivers
  - Vehicles
  - Roads and highways
    - ❑ Freeway system
    - ❑ Rural highway system
    - ❑ Arterial and street systems
  - General environment
  - Traffic control devices
  - ITS infrastructures
  
- ❑ Need tools to design, evaluate, and operate such complex systems.



# Course description

---

## ▣ **Transportation Data Analysis and Performance evaluation**

Observation, Measurement, Stochastic Processes, Estimation methods;. Performance quality, travel times

## ▣ **Traffic Modeling**

How congestion changes over time and space at different levels of scale. Micro- (Car following) , Meso- (Cell Transmission Model), Macro- (city level)



## ▣ **Control of Traffic Signals**

Schemes to affect traffic stream properties in some desirable way(s). Technology, Adaptive control, Coordination, Ramp metering

## ▣ **Intro to Logistics and Scheduled transportation systems**

Basic principles in operating fleets, Allocation of urban space, Instabilities, Intro to Travel Salesman Problem and Vehicle Routing Problem.

# Data analysis






Date	5 min	L1 Flow (Vh/5 min)	L1 Occ	L2 Flow (Vh/5 min)	..... (Vh/5 min)	Flow (Vh/5 min)	Occ	# Lane Points	% Observed
11/10/2007	0:00	24	0.0154	33	.....	95	0.0178	4	100
11/10/2007	0:05	27	0.0193	47	.....	124	0.0223	4	100
11/10/2007	0:10	25	0.0159	43	.....	121	0.0206	4	100
11/10/2007	0:15	27	0.0188	51	.....	126	0.0228	4	100
11/10/2007	0:20	15	0.0103	43	.....	109	0.0215	4	100
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11/10/2007	1:30	16	0.0103	34	.....	87	0.0153	4	100
11/10/2007	1:35	20	0.0128	38	.....	101	0.0187	4	100
11/10/2007	1:40	10	0.0061	27	.....	77	0.0137	4	100

## A photograph of a busy London street. A red double-decker bus is driving away from the camera. To its left, a black taxi is parked. Pedestrians are walking on the sidewalk. The street is lined with historic buildings. A 'BUS STOP' sign is visible on the ground. The word 'Unito' is partially visible in the bottom left corner.

## Buses

A diagram showing three adjacent lanes. The left lane is yellow and labeled "Cars". The middle lane is red and labeled "Buses". The right lane is green and labeled "Peds.". The lanes are separated by white dashed lines.



# Intro to Traffic Management

## Traffic Signal Control



## Urban Space Allocation



## Parking



## Bus Priority



# Transport systems management

---



## Traffic Control

Ramp metering

Optimal timing design for signal lights

Coordination of signalized intersections

## Design of Facilities

Road-geometric design (lane addition, removing bottlenecks)

Improvement in car technologies

# Demand management



## Demand reallocation

Flexible work hours and telecommuting,  
Different work schedule, Vehicle use  
restrictions

## Decreasing demand

work from home, decrease of week  
workload, change home place, change land  
use



## Demand “compression”

car pooling, minibus, transit

## Pricing

Road/Congestion pricing, Parking policies

# Performance evaluation




# Scheduled Transportation Systems




Vietnam



# Design of logistics systems



- Vehicle Routing Problem
- One-to-Many
- Many-to-Many




# REVIEW OF TSE Class

---


- ▣ Traffic Stream Characteristics
- ▣ See Notes (Please review and come back with questions next week)

# Urban Streets: Vehicle Trajectories




# Headway and Spacing Definitions

---




# Flow definition

---




# Density Definition

---







Flow = density \* +/- speed

---






# Methods of Observation



# Construction of x-t diagram from data

- (a) Roadside observers at various locations.
- (b) aerial photographs at different instants.
- (c) moving observers.



# TMS ( $v_t$ ) and SMS ( $v_s$ )

space mean speed:

$$\bar{u}_s = \frac{120 + 140 + 100}{3} = 120[\text{km/h}]$$

time mean speed:


during one hour:

vehicle travels at 100 (km/h) completes 50 laps


vehicle travels at 120 (km/h) completes 60 laps

vehicle travels at 140 (km/h) completes 70 laps

$$\bar{u}_t = \frac{50(100) + 60(120) + 70(140)}{180} = 122[\text{km/h}]$$




# Real freeway data




# A triangular FD

- However, these diagrams are not very realistic. Researchers now know that the flow-density relation is better described by a triangle than by a parabola.
- The following graph shows the Fundamental Diagram as we use it today. It contains enough information to find any of the 5 descriptors, if one is given  $k$ .





# Input-Output Diagrams

---



# Input-Output Diagrams




- $Q(0)$  = number of customers in queue at time 0
- $Q(t)$  = number of customers in queue at time  $t$
- $A_n$  = time of arrival of the  $n^{\text{th}}$  customer
- $D_n$  = time of departure of the  $n^{\text{th}}$  customer


# Construct I-O curves

---



- Given  $A(t)$ ,  $L$ ,  $v_f$  and  $\mu$  (service rate)




# I-O curves (Example of a traffic signal)





# Kinematic wave theory (Example 1)




# Traffic signal example




# Kinematic wave theory (Example 2)



# Generalized definitions of $q$ and $k$



$$Q = \frac{d(A)}{|A|} = \frac{VKT}{Area}$$



$$K = \frac{t(A)}{|A|} = \frac{VHT}{Area}$$

$$V_{SMS} = \frac{d(A)}{t(A)} = \frac{VKT}{VHT}$$

# Exercise 1

---

- Consider a single-lane road of length  $L=300\text{m}$  with a traffic signal at each end. Estimate the average link flow and density according to the generalized definitions for the following values:
- Green=30sec, Red=30sec
- Demand  $q=600\text{veh/hr}$
- Triangular FD with capacity= $1800\text{vh/hr}$ , jam density= $150\text{vh/km}$ , critical density= $30\text{vh/km}$

## Problem 2: Passing rate formula

---

- A vehicle travelling at speed  $v$ , overpasses a traffic stream travelling at speed  $v'$  and density  $k'$ . Identify the passing rate (vehicles passing per unit time).