

Renewable Energy

Prof. Sophia Haussener MER Jan van Herle

Laboratory of Renewable Energy Sciences and Engineering

Administration

- Course:
 - Tuesday: 2h lecture (10:15-12:00), INJ218
 - Responsible: Prof. Haussener, ME D0 2926,

MER van Herle, ME A2 392

- Exercise:
 - Tuesday, 1h exercises (12:15-13:00), INJ218
 - Responsible part Haussener: Sangram Savant, ME D0 2919

Shuo Liu, ME D0 2726

- Remarks:
 - Expected contributions from your side:

4 credits \approx 4x30 hours = 120 hours

14x3 hours lecture/exercise \rightarrow 120-42 = 78 hours at home/library

= 5.5 hours/week at home/library

Administration

- Exam: written at the end of the semester closed books, only calculator and 10 A4 pages (single sided, or 5 pages double sided) personal summary can be used
- Course notes and exercises are online before the lecture (moodle.epfl.ch) Please print them individually if you need a printout
- References (complementary):
 - David McKay, Sustainable Energy without the hot air, UIT Cambridge (available on web)
 - Kreith and Goswami, editors, Handbook of energy efficiency and renewable energy, Taylor and Francis Group, 2007.

Course structure

<u>Outline</u>

- 1. Introduction to energy economy
- 2. Revisiting power cycles
- 3. Hydro, ocean, tidal, wave
- 4. Solar:
 - Solar thermal
 - Photovoltaics
- 5. Hydrogen
- 6. Storage
- 7. Solar fuels
- 8. Electrochemical & thermo-electrical conversion
- 9. Geothermal
- 10. Wind
- 11. Biomass:
 - Biofuels
 - Biomass to electricity


Course structure

	Lecture Wednesday (10:15-12:00)	Lecturer	Exercise Tuesday (12:15-13:00)
Week 1 (18. 2)	Introduction	SH	Exercise 1
Week 2 (25.2)	Power cycles, ORC, co-generation	SH	Exercise 2
Week 3 (3.3)	Ocean, tidal and wave	JvH	Exercise 3
Week 4 (10.3)	Solar thermal	SH	Exercise 4
Week 5 (17.3)	Solar electricity	SH	Exercise 5
Week 6 (24.3)	Hydrogen	JvH	Exercise 6
Week 7 (31.3)	Storage	SH	Exercise 7
Week 8 (7.4)	Solar fuels	SH	Exercise 8
Week 9 (21.4)	Electrochemical and thermo-electrical conversion	JvH	Exercise 9
Week 10 (28.4)	Geothermal	SH	Exercise 10
Week 11 (5.5)	Wind	JvH	Exercise 11
Week 12 (12.5)	Wind	JvH	Exercise 12
Week 13 (19.5)	Biomass	JvH	Exercise 13
Week 14 (25.5)	Biomass	JvH	Exercise 14

What you will learn in this course:

- What is renewable energy?
- What are it's current/future contribution to energy supply?
- For the different renewable energy sources:
 - the potential: theoretical vs. realistic
 - the essential physics and chemistry for conversion and storage
 - approaches to «harness» them
 - status of the technologies
 - the most useful applications and complementarities
- Renewable power plants you will know:
 B-IGCC, PV, CSP, PEC, EGS, (µ)CHP, ...

How much solar energy falls on 1 m^2 in 1 s on a nice sunny day at noon ?



... and in winter, during any day, at any latitude?



How much power can a water turbine develop from water flowing at $1 \text{ m}^{3/s}$ and falling from 100 m high ?

... and how big a wind turbine must be to develop the same power from a typical wind speed?


... (and what wind speed is 'typical'?)

How much power is contained in an ocean wave (per m width), 1 m high, and of wavelength 100 m ?

O 1 kW / m O 3 kW / m O 10 kW / m ⅔ 30 kW / m

... and its difference to tidal power?

How deep do we have to drill the earth soil to find it hot at 300°C?



... and then how can we convert this to electrical power?



... and furthermore:

- is heat pumping from the soil renewable?
- are bioethanol and biodiesel going to replace petrol?
- what about the biomass-energy competition with food ?
- can we go 100% renewable?
- 'there is 10'000 times more solar energy around than what all humans consume around the planet, no worries!'
- it's just of matter of cost?
- But renewable energy is free fuel, isn't it?
- ... or a matter of time, for fossil fuels to run out?
- ... or of progress in new technologies?
- ... or of political incentive and subsidies?

What you are expected to know at the end

- the real potential of the different renewable sources
- use mass, momentum, and energy balance to estimate orders of magnitude
- be able to easily grasp and switch between kWh, MJ, GW, Mtoe, TWh, ...
- the right orders of magnitude (energy and power)
- the technologies to harvest fossil and renewable energies
- explain and calculate the main emission sources of energy conversion processes
- their best service in the energy supply spectrum
- be able to solve the exercises

Common energy units

٠	106	mega	М	MJ	MW	MWh
•	109	giga	G	GJ	GW	GWh
•	1012	tera	Т	TJ	TW	TWh
•	1015	peta	Р	PJ		
٠	10 ¹⁸	exa	E	EJ		

TWh terawatthour = 10^{12} Wh = 1000 GWh = 3.6 PJ (electricity)

- GWh gigawatthour = 10^9 Wh = 3600 GJ (electricity)
- Mtoe megatonne-oil-equivalent = 10^9 (kg) x 41.9 (MJ/kg) = 41.9 PJ

Examples of energy and power content

- Energy
 - Daily need of an adult : 6-8 MJ
 - 1 Liter of Oil : 36 MJ
 - 100 km in a VWGolf : 230 MJ (6.41)
- Power
 - Computer : 100 200 W (J/s)
 - Professional cyclist : 450 W
 - Adult : 100 W
 - 100 students : 15 kW
 - Car engine : 75 kW (~100 hp)

From resources to products

- The energy used is not the energy that is harvested
- Energy resources (primary energy)
 - Non renewable (from a reservoir)
 - Renewable (capturing the sun energy and incorporating into a system)
- Energy services (final Energy)
 - Temperature in a room
 - Data from internet
 - Mobility

Definitions


• Primary energy consumption

• Energy contained in raw fuels before the start of the conversion chain.

• Final (distributed) energy consumption

• Energy received by consumers and businesses, not including the energy losses in the conversion sector, and from distribution. This indicator evaluates the participation of each type of fuel (solid fuels, oil, gas, renewables)


Let's enumerate all energy sources we know...




Switzerland - Energy

Where do we stand today? Switzerland


Schweizerische Gesamtenergiestatistik 2014/5 Bundesamt für Energie



Primar Energy - CH 2014




Final Energy - CH 2014




EPFL

End-use shares by application




End-use by application: detail



Final energy use ...

- There are 5 energy end services:
 - Space heat 20°C
 - Sanitary hot water 40°C
 - Process heat >40°C
 - Electricity
 - Mobility






... and primary energy supply

- Key is to supply these end services in the most meaningful ways, considering:
 - Temperature level
 - Thermodynamics
 - Conversion technology
 - Scale of service / technology
 - Efficiency
 - Savings
 - Emissions, pollution, impact,...


Temporal evolution of final energy use



The link with the PIB


Fig. 15 Zusammenhang zwischen Energieverbrauch und wirtschaftlicher Entwicklung (1950–2014)

> Relation entre la consommation finale et l'évolution économique (1950–2014)




Switzerland - Electricity

Temporal evolution of electricity production




Quelle: BFE, Schweizerische Elektrizitätsstatistik 2011 Source: OFEN, Statistique suisse de l'électricité 2011

Electricity balance: Production vs Consumption



Electricity production in Europe



Source: OFEN, Statistique suisse de l'électricité 2011

Energy prices : CH

- Electricity
 - Industry : 13 cts/ kWh
 - Households : 19 cts/kWh
- Heating Oil
 - 10 cts/kWh
- Natural Gas
 - 9.6 cts/kWh
- Fuels
 - 1.51 CHF/l => 15 cts/kWh

Energy in Switzerland


The Swiss Energy ...




www.bfe.admin.ch








The World Energy Balance




For how much longer like this?

BP World energy statistics review 2013





OIL: *despite increased consumption, world reserves go up...!*



EPFL


GAS: despite increased consumption, world reserves go up...!







EPFL

COAL: *increased consumption* + *huge reserves*, *but they start to decline...!*






Coal mines in the world




EPFL

Coal




Coal





Liquid and gas fuels




In the first 1 km, bacteria convert organic matter into kerogen (embryonic oil).

> 1 km, burying leads to a gradual transformation of the sediment rock and thermal degradation (\sim 100°C) of kerogen.

Between 2 and 3 km, this is where the kerogen produces a lot of oil.


At 3.5 km, less to none oil is produced but lots of gas.

A geological cap captures the oil/gas



A - Piège structural: anticlinal

Drilling and extraction



Spontaneous extraction from the pressure of the well

Mechanical extraction

Enhanced oil and gas recovery by water/CO₂ injection \rightarrow CO₂ sequestration


The biggest fields

year	Range of URR [GB]	Field	Country	
1948	66-100	Kashagan	Kazakhsta	
1938	32-60	Azadegan	Iran	
1951	21-36	Roncador	Brazil	
<mark>1917</mark>	14-36	Cusiana/Cupiagua	Colombia	
1964	10-25	Sihil	Mexico	
1953	22	Ourhoud	Algeria	
1964	17-21	Thunder Horse	US GoM	
<mark>1976</mark>	11-20	3		
1957	17	300 Discovered Rec	overable	
1927	16	²⁷⁵ − Reserves in Gia ₂₅₀ − ■ Number of Gian		
1928	12-15	250 - Discovered		
<mark>1</mark> 941	10-15	200		
1958	<u>13-15</u>	a 175		
1963	12-14	175 175 150 8		
1961	6-14	8 125		
1937	6-14	100		
<mark>1965</mark>	12-14	50		
1969	13	25	┥╘╾┥╺╸┥	
	FULL CERES	Active sea contract	Active Active 30	


	Country	Year	Recoverable Reserves [Gb]
Kashagan	Kazakhstan	2000	7-9
Azadegan	Iran	1999	6-9
Roncador	Brazil	1996	2.9
Cusiana/Cupiagua	Colombia	1991	1.6
Sihil	Mexico	1999	1.4
Ourhoud	Algeria	19 <mark>94</mark>	1.2
Thunder Horse	US GoM	1999	1-1.5

Discovery


Illtimate



Oil refinery




Top gas producing countries




Non convention gas and oil

- Hydraulic fracking: Oil and Gas
- High pressure (500 bar) water
- Tensio-active and biocide compounds to ease the extraction

Water is extracted and has to be treated




Who consumes the oil?






Who consumes the gas?





Who consumes the coal?



EPFL

Where is the overall primary energy consumption?

BP World energy statistics review 2013


Primary energy consumption per capita 2012 (Toe) 0-1.5 1.5-3.0 3.0-4.5 4.5-6.0 > 6.0



'Reserves' and 'fuel cost'

- The given reserves are proven and valid for <u>current</u> production rates, at <u>present</u> economics
- Ultimate reserves (physical) could be 10x larger for coal and 4-5x larger for oil and gas, recoverable at higher cost, and extending the use to several centuries
- Isn't renewable energy, by contrast, 'free' fuel?
- No! What matters is the cost of harnessing any fuel, anywhere (localization, extraction, storage, transport, conversion,...)
- In this way, only direct solar energy that warms your body could be considered free; else, when not considering the cost of harnessing, also gas, oil and coal are free fuels, made by nature!

2000 W society concept / 75% renewable




Source: Key World Energy Statistics, IEA, edition 2013, Renewables Information IEA, edition 2012

2000 W / cap / year 1 t CO₂ / cap / year \rightarrow 75% renewable


EPFL

Time scale for fuel generation and consumption



Renewable = sustainable

Fuel generation time \leq fuel consumption time




Non renewable = stored energy

Fossil (and nuclear) fuels are like energy **capital**, in the 'bank' for present use. Once used, it's no longer replenished on the life scale of mankind.




Renewable ≈ energy fluxes (mostly unstored)

Unlike 'burning energy capital', we have to harvest these fluxes on a 'daily' basis for our energy 'income'.




Classification w.r.t. timescale

Instantaneous use (seconds, minutes)	Short term storage (days, weeks)	Medium term storage (months, years)	V. long term storage (millions of years)
SOLAR – DIRECT	WIND	BIOMASS	OIL
SOLAR – THERMAL	HYDRO	WASTES	GAS
SOLAR – P.V.	WAVES	GEOTHERMAL	COAL
WIND	TIDES		NUCLEAR
HYDRO			GEOTHERMAL




Humankind and energy: ever on the rise



From renewable to fossil energies

... and back to renewable ?

Main drivers for rise in energy demand



Sustainability

Not only a 'source' issue, but now even more a 'sink' issue !

consumption rate >>> generation rate


Burning of energy capital

Production [10⁹ barrels/yr]


60 Sourc **250**· 80 % (64 years) 10⁹ e: 50 IIASA barr 80 % (58 years) 40 els 0 2100·10⁹ stain 30 barrels 1350·10⁹ 20 barrels 382.10 10 180.10 bar 784·10⁹ Λ barrels 2000 2025 **1927**re**19**50 2050 1975 2075 2100

emissions rate > 'recovery' rate


Irreversible damageable impacts on the environment




The sink: anthropogenic climate change



The green house effect







CO₂ absorbs IR radiation in its vibration states. The vibrating molecule re-emits the radiation which is absorbed by another GHG molecule. This absorption emission - absorption cycle keeps the heat near the surface, effectively insulating the Earth from cold Space.

relative importance of anthropogenic greenhouse gases


Global warming is for at least half due to energy use



Measured data




CO2 emissions per capita




Source: Key World Energy Statistics, IEA, edition 2013

Carbon emissions, CO₂ conc. and temperatures variation



Variation of the sea level (measured by satellite)


- Islands may disappear
- Inland saline water penetration underground



from Denhez, 2005




Earlier grape collection!





Coal combustion and its impact (Pekin, winter, 2014)







theguardian.com, Tuesday 25 February 2014 - *Chinese scientists have warned that the country's toxic air pollution is now so bad that it* resembles a nuclear winter, slowing photosynthesis in plants – and potentially wreaking havoc on the country's food supply.

Environmental impact




Eau de Fracking



Leakage in the aquifer






Under ground ? -> Earthquake

Environmental impact

- Importance of life cycle
 - Extraction
 - Treatment
 - Transport
 - Raffinery
 - Distribution
 - Combustion





Geopolitical impacts (flows)

0.5 (-0.1) 0.4 0.2 OECD +0.11+0.20.5 Europe (+0.1)(+0.3)OECD 0.2 1.9 +0.1Americas* (-0.6) China OECD Asia Oceania** 5.6 1.5 0.2 (+0.2)0.2 1.5 Other Asia -0.414.3 1.8 (-0.2) (-0.2) (-0.5) q 0.6(+0.4)0.7(+0.1)@ OECD/IEA, 2015

Map 3.1 Crude exports in 2020 and growth in 2014-20 for key trade routes

This map is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. Note: Excludes intra-regional trade.


* Includes Chile.

** Includes Israel. The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD and/or the IEA is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.

 $https://www.iea.org/publications/free publications/publication/MTOMR_2015_Final.pdf$

How to mitigate emissions and climate, while keeping the services

Sustainable development: meets needs of present without compromising ability of future generation




→ Need for efficient, economical, renewable, and environmentally friendly energy technologies EPFL

Principal measures

- 1. Efficiency remains the first and foremost key
 - ALL technologies
 - Process integration and optimization
- 2. Fossil replacement by renewables
- 3. Address the storage issue (seasonal; esp. for renewables)
- 4. Grids (development, management)
- 5. Consumer awareness; incentives

All are interconnected!


Efficiency and renewables in transport



EPFL


But overall oil consumption still rises

World vehicle oil demand in the New Policies Scenario



Oil use by cars expands by only 15% between 2010 & 2035, with more efficient vehicles, less usage and switching to non-oil fuels offsetting most of the impact of a doubling of the fleet


Example Switzerland



D. Favrat, Presentation AE, Dec 2012

Efficiency improvement but overall increase in consumption Due to increased fleet

Pathways



Summary

- 1. Energy supply is still strongly fossil fuel based
- 2. Economic fossil reserves suffice for ca. 100 yrs, but the climate issue is more urgent
- 3. Efficiency remains the key objective in any technology
- 4. After the efficiency measures, renewable can deliver an important contribution (>20% of CO_2 reduction), when massively developed and deployed