

## COM-208: Computer Networks - Quiz 1 (A)

Name:  
SCIPER:

1. Would you connect your house to the Internet through a 18Mbps DSL connection or a 20Mbps Cable connection?
  - (a) The DSL connection because it will not be shared with any other houses.
  - (b) The Cable connection because it offers a higher transmission rate.
  - (c) I don't have enough information to answer. *(Correct)*
2. When two ISPs have a customer/provider relationship, that necessarily implies that:
  - (a) They have a peering agreement with each other.
  - (b) One of them is paying the other for Internet connectivity. *(Correct)*
  - (c) They are connected to each other through a direct physical connection.
3. How does a link-layer switch differ from a network-layer switch?
  - (a) A link-layer switch can always handle more packets.
  - (b) They decide how to forward a packet based on different headers. *(Correct)*
  - (c) They do not differ in any way.
4. What is the relationship between the transmission and propagation delay experienced by a packet on a link?
  - (a) They always have the same value.
  - (b) They may have the same value or one may be bigger than the other depending on the situation. *(Correct)*
  - (c) The transmission delay is typically much bigger.
5. A link of transmission rate  $R$  feeds packets to a queue, which feeds another link of transmission rate  $R$ . There is no processing delay and no other traffic. Packets that traverse the queue will experience:
  - (a) 0 transmission delay.
  - (b) 0 queuing delay. *(Correct)*
  - (c) Both of the above.
6. How may we reduce the queuing delay experienced by packets at a store-and-forward switch?
  - (a) By decreasing the processing delay of the switch.
  - (b) By increasing the transmission rate of the switch's outgoing links.
  - (c) Both of the above. *(Correct)*
7. Packets  $P_1$  and  $P_2$  traverse the same path.  $P_2$  is bigger than  $P_1$ .  $P_2$  definitely experiences:
  - (a) Bigger transmission delays. *(Correct)*
  - (b) Bigger queuing delays.
  - (c) The same end-to-end (total) delay.
8. End-system  $A$  sends a large file to end-system  $B$  over a single link of transmission rate  $R$  bps. The average throughput is:
  - (a) Exactly  $R$ .
  - (b) Larger than  $R$ , but the difference is typically insignificant.
  - (c) Smaller than  $R$ , but the difference is typically insignificant. *(Correct)*
9. A switch that implements packet switching:
  - (a) Never drops a packet.
  - (b) Never drops a packet when it has the resources to treat it. *(Correct)*
  - (c) Never drops a packet when that packet belongs to an established connection.
10. You want to disrupt the communication between end-systems  $A$  and  $B$ . You are not on the path between them and you cannot send traffic to either of them. What type of attack can you use?
  - (a) A denial-of-service attack. *(Correct)*
  - (b) An eavesdropping attack.
  - (c) An impersonation attack.

## COM-208: Computer Networks - Quiz 1 (B)

Name:  
SCIPER:

1. A link of transmission rate  $R$  feeds packets to a queue, which feeds another link of transmission rate  $R$ . There is no processing delay and no other traffic. Packets that traverse the queue will experience:
  - (a) 0 transmission delay.
  - (b) 0 queuing delay. *(Correct)*
  - (c) Both of the above.
2. Packets  $P_1$  and  $P_2$  traverse the same path.  $P_2$  is bigger than  $P_1$ .  $P_2$  definitely experiences:
  - (a) The same end-to-end (total) delay.
  - (b) Bigger queuing delays.
  - (c) Bigger transmission delays. *(Correct)*
3. When two ISPs have a customer/provider relationship, that necessarily implies that:
  - (a) One of them is paying the other for Internet connectivity. *(Correct)*
  - (b) They have a peering agreement with each other.
  - (c) They are connected to each other through a direct physical connection.
4. End-system  $A$  sends a large file to end-system  $B$  over a single link of transmission rate  $R$  bps. The average throughput is:
  - (a) Exactly  $R$ .
  - (b) Smaller than  $R$ , but the difference is typically insignificant. *(Correct)*
  - (c) Larger than  $R$ , but the difference is typically insignificant.
5. How does a link-layer switch differ from a network-layer switch?
  - (a) They decide how to forward a packet based on different headers. *(Correct)*
  - (b) A link-layer switch can always handle more packets.
  - (c) They do not differ in any way.
6. Would you connect your house to the Internet through a 18Mbps DSL connection or a 20Mbps Cable connection?
  - (a) I don't have enough information to answer. *(Correct)*
  - (b) The DSL connection because it will not be shared with any other houses.
  - (c) The Cable connection because it offers a higher transmission rate.
7. A switch that implements packet switching:
  - (a) Never drops a packet.
  - (b) Never drops a packet when that packet belongs to an established connection.
  - (c) Never drops a packet when it has the resources to treat it. *(Correct)*
8. How may we reduce the queuing delay experienced by packets at a store-and-forward switch?
  - (a) By increasing the transmission rate of the switch's outgoing links.
  - (b) By decreasing the processing delay of the switch.
  - (c) Both of the above. *(Correct)*
9. You want to disrupt the communication between end-systems  $A$  and  $B$ . You are not on the path between them and you cannot send traffic to either of them. What type of attack can you use?
  - (a) A denial-of-service attack. *(Correct)*
  - (b) An eavesdropping attack.
  - (c) An impersonation attack.
10. What is the relationship between the transmission and propagation delay experienced by a packet on a link?
  - (a) They always have the same value.
  - (b) The transmission delay is typically much bigger.
  - (c) They may have the same value or one may be bigger than the other depending on the situation. *(Correct)*