Midterm preparation

Computer Networks

Ideally

- Review lectures
- Review homework
- <u>Do past midterm exams</u>
- Review labs
- Come to the Q&A session and ask questions

No time for all this

- Review lectures
- Try to solve all the past midterm exams
- When you get stuck, study the related homework solutions, and retry
- If you can solve all the past midterm exams <u>without looking at the solutions</u>, you will be OK

About the exam

- Problem 1: mostly multiple-choice questions (similar to the quizzes)
- Something on web+DNS, reliable data transfer, and delay/throughput computation
- One or two small questions about the labs (up to 20% of the grade)

About the exam

- <u>Mostly</u> in the same spirit as past midterm exams
- But there are always a couple of questions that are quite different
- Start from the easier questions

About the exam

- If a question makes no sense, ask for clarification
- Grading is adjusted to difficulty
- You will receive more information on the exam by email next week

Delay & throughput


Computer Networks

Transmission delay


- of N bits over a link =
- amount of time to push all N bits into the link

Propagation delay

- of a link =
- amount of time to move 1 bit
 from one end of the link to the other



Transfer time = transmission delay of L bits on link + propagation delay of link = L/R + propagation delay of link



Transfer time = transmission delay of 2L bits on link + propagation delay of link

$$= 2L/R$$

+ propagation delay of link


transmission rate R bits/sec

N packets of size L bits

Transfer time = transmission delay of NL bits on link + propagation delay of link

= NL/R

+ propagation delay of link




Transfer time = transmission delay of 1st packet on link 1 + propagation delay for link 1

+ transmission delay of N packets on link 2

+ propagation delay for link 2

= L/R1 + NL/R2 + sum of propagation delays



Transfer time = transmission delay of 1st packet on 1st link + propagation delay of 1st link

- + transmission delay of N packets on 2nd link
- + propagation delay of 2nd link
- + transmission delay of last packet on 3rd link
- + propagation delay of 3rd link

= L/R1 + NL/R2 + L/R3 + sum of propagation delays



Transfer time =

time for 1st packet to get to bottleneck
+ time for all packets to cross bottleneck
+ time for last packet to get to final destination



Transfer time =

sum of transmission delays of 1st packet until bottleneck + sum of propagation delays of links until bottleneck

- + transmission delay of N packets on bottleneck
- + propagation delay of bottleneck

+ sum of transmission delays of last packet after bottleneck
+ sum of propagation delays of links after bottleneck

=
$$L/R_1 + ... L/R_x + NL/R_b + L/R_{b+1} + ... + L/R_{b+y}$$

+ sum of propagation delays of all links

Computer Networks



N is large

Transfer time =

sum of transmission delays of 1st packet until bottleneck + sum of propagation delays of links until bottleneck

+ transmission delay of N packets on bottleneck
+ propagation delay of bottleneck


+ sum of transmission delays of last packet after bottleneck
+ sum of propagation delays of links after bottleneck

= L/R₁ + ... L/R_x + NL/R_b + L/R_{b+1} +... + L/R_{b+y} + sum of propagation delays of all links

Computer Networks

Average throughput

Data size / Transfer time



N is large

Transfer time =

transmission delay of N packets on bottleneck = NL/Rb

Average throughput =
$$\frac{NL}{NL/R_b}$$
 = R_b




N is not large

Transfer time = ...


Average throughput = $\frac{NL}{Transfer time}$ < R_b

Midterm 2018, Problem 4

Computer Networks




- All links have length l and prop. speed c
- Switches are store & forward, have infinite queues




Alice sends packet of size Q to the proxy. What is the packet delay?


Q/4R + I/c + Q/R + I/c + Q/2R + I/c= Q/4R + Q/R + Q/2R + 3I/c




The proxy sends P packets of size L to Alice. What is the transfer time?




The proxy sends 2 packets, of sizes L and 0.1L, to Alice. What is the transfer time?



charly.epfl.ch







The proxy sends 2 packets, of sizes L and 0.1L, to Alice. What is the transfer time?


L/2R + L/R + L/4R + 0.1L/4R + 31/c

What is the queuing delay experienced by the 2nd packet?




charly.epfl.ch







What if the proxy had sent the smaller packet first?




charly.epfl.ch





What if the proxy had sent the smaller packet first?

L/2R + L/R + L/4R + 0.1L/2R + 31/c




The proxy sends 2 packets, of sizes L and 0.1L, to Alice. What is the transfer time?

L/2R + L/R + L/4R + 0.1L/4R + 31/c

What is the queuing delay experienced by the 2nd packet?

L/R - 0.1L/2R + L/4R - 0.1L/R

Computer Networks



S1 has 4 queues:

- 1 for all packets going toward S2
- 1 each for Alice, Bob, Charly

S2 has 3 queues:

- 1 for all packets going toward S1
- 1 each for proxy, Deborah

Solving delay problems

- The key is figuring out where packets are queued
- Often determined by the slowest link and/or the largest packet
- ...but there is no general formula for all scenarios

Solving delay problems

- Use a timing diagram
- Mark all the relevant transmission and prop. delay components
- Identify which components you need to combine to answer each question