

Renewable Energy

Prof. Sophia Haussener

MER Jan van Herle

Laboratory of Renewable Energy Sciences and Engineering

Administration

- Course:
 - Tuesday: 2h lecture (10:15-12:00)
 - Responsible: Prof. Haussener, ME D0 2926,
MER van Herle, ME A2 392
- Exercise:
 - Tuesday, 1h exercises (12:15-13:00)
 - Responsible part Haussener: Jian Li, ME A2 454
Shuo Liu, ME D0 2726
- Remarks:
 - Expected contributions from your side:
4 credits \approx 4x30 hours = 120 hours
14x3 hours lecture/exercise \rightarrow 120-42 = 78 hours at home/library
= 5.5 hours/week at home/library

Administration

- Exam: written at the end of the semester
closed books, only calculator and 10 A4 pages (single sided, or 5 pages double sided) personal summary can be used
- Course notes and exercises are online before the lecture (moodle.epfl.ch)
Please print them individually if you need a printout
- References (complementary):
 - David McKay, Sustainable Energy – without the hot air, UIT Cambridge (available on web)
 - Kreith and Goswami, editors, Handbook of energy efficiency and renewable energy, Taylor and Francis Group, 2007.

Course structure

Outline

1. Introduction to energy economy
2. Revisiting power cycles
3. Geothermal
4. Wind
5. Hydro, ocean, tidal, wave
6. Solar:
 - Solar thermal
 - Solar electricity
 - Solar fuels
7. Biomass:
 - Biofuels
 - Biomass to electricity
8. Electrochemical & thermo-electrical conversion
9. Storage
10. Hydrogen

Course structure

| | Lecture Wednesday (10:15-12:00) | Lecturer | Exercise Tuesday (12:15-13:00) |
|----------------|--|----------|-----------------------------------|
| Week 1 (22. 2) | Introduction | SH | Exercise 1 |
| Week 2 (2.3) | Power cycles, ORC, co-generation | SH | Exercise 2 |
| Week 3 (8.3) | Geothermal | SH | Exercise 3 |
| Week 4 (15.3) | Wind | JvH | Exercise 4 |
| Week 5 (22.3) | Wind | JvH | Exercise 5 |
| Week 6 (29.3) | Ocean, tidal and wave | JvH | Exercise 6 |
| Week 7 (5.4) | Solar thermal | SH | Exercise 7 |
| Week 8 (12.4) | Solar electricity | SH | Exercise 8 |
| Week 9 (26.4) | Solar fuels | SH | Exercise 9 |
| Week 10 (3.5) | Biomass | JvH | Exercise 10 |
| Week 11 (10.5) | Biomass | JvH | Exercise 11 |
| Week 12 (17.5) | Electrochemical and thermo-electrical conversion | JvH | Exercise 12 |
| Week 13 (24.5) | Storage | SH | Exercise 13 |
| Week 14 (31.5) | Hydrogen | JvH | Exercise 14 |

What you will learn in this course:

- What is renewable energy?
- What are its current/future contribution to energy supply?
- For the different renewable energy sources:
 - the potential: theoretical vs. realistic
 - the essential physics and chemistry for conversion and storage
 - approaches to «harness» them
 - status of the technologies
 - the most useful applications and complementarities
- Renewable power plants you will know:
B-IGCC, PV, CSP, PEC, EGS, (μ)CHP, ...

Order of magnitude understanding

How much solar energy falls on 1 m^2 in 1 s on a nice sunny day at noon ?

- 1 J
- 10 J
- 100 J
- 1000 J

... and in winter, during any day, at any latitude?

Order of magnitude understanding

How much power can a water turbine develop from water flowing at $1 \text{ m}^3/\text{s}$ and falling from 100 m high ?

- 10 kW
- 100 kW
- 1 MW
- 10 MW

... and how big a wind turbine must be to develop the same power from a typical wind speed?

... (and what wind speed is ‘typical’?)

Order of magnitude understanding

How much power is contained in an ocean wave (per m width), 1 m high, and of wavelength 100 m ?

- 1 kW / m
- 3 kW / m
- 10 kW / m
- 30 kW / m

... and its difference to tidal power?

Order of magnitude understanding

How deep do we have to drill the earth soil to find it hot at 300°C ?

300 m

1 km

3 km

10 km

... and then how can we convert this to electrical power ?

... and furthermore:

- is heat pumping from the soil renewable?
- are bioethanol and biodiesel going to replace petrol?
- what about the biomass-energy competition with food ?
- can we go 100% renewable?
- ‘there is 10’000 times more solar energy around than what all humans consume around the planet, no worries!’
- it’s just of matter of cost?
- But renewable energy is free fuel, isn’t it?
- ... or a matter of time, for fossil fuels to run out?
- ... or of progress in new technologies?
- ... or of political incentive and subsidies?

What you are expected to know at the end

- the real potential of the different renewable sources
- use mass, momentum, and energy balance to estimate orders of magnitude
- be able to easily grasp and switch between kWh, MJ, GW, Mtoe, TWh, ...
- the right orders of magnitude (energy and power)
- the technologies to harvest fossil and renewable energies
- explain and calculate the main emission sources of energy conversion processes
- their best service in the energy supply spectrum
- be able to solve the exercises

Common energy units

| | | | | | |
|-------------|------|---|----|----|-----|
| • 10^6 | mega | M | MJ | MW | MWh |
| • 10^9 | giga | G | GJ | GW | GWh |
| • 10^{12} | tera | T | TJ | TW | TWh |
| • 10^{15} | peta | P | PJ | | |
| • 10^{18} | exa | E | EJ | | |

TWh terawatthour = 10^{12} Wh = 1000 GWh = 3.6 PJ (electricity)

GWh gigawatthour = 10^9 Wh = 3600 GJ (electricity)

Mtoe megatonne-oil-equivalent = 10^9 (kg) x 41.9 (MJ/kg) = 41.9 PJ

Examples of energy and power content

- Energy
 - Daily need of an adult : 6-8 MJ
 - 1 Liter of Oil : 36 MJ
 - 100 km in a VWGolf : 230 MJ (6.4l)
- Power
 - Computer : 100 -200 W (J/s)
 - Professional cyclist : 450 W
 - Adult : 100 W
 - 100 students : 15 kW
 - Car engine : 75 kW (~100 hp)

From resources to products

- **The energy used is not the energy that is harvested**
- **Energy resources (primary energy)**
 - Non renewable (from a reservoir)
 - Renewable (capturing the sun energy and incorporating into a system)
- **Energy services (final Energy)**
 - Temperature in a room
 - Data from internet
 - Mobility

Definitions

- **Primary energy consumption**
 - Energy contained in raw fuels before the start of the conversion chain.

- **Final (distributed) energy consumption**
 - Energy received by consumers and businesses, not including the energy losses in the conversion sector, and from distribution. This indicator evaluates the participation of each type of fuel (solid fuels, oil, gas, renewables)

Let's enumerate all energy sources we know...

BIOMASS

WIND

WASTES

COAL

GAS

HYDRO

SOLAR – DIRECT

TIDES

NUCLEAR

GEOHERMAL

OIL

SOLAR – P.V.


WAVES

SOLAR – THERMAL


...and see how we have been using these

Switzerland - Energy

Where do we stand today? Switzerland



Primar Energy - CH 2014



Total: 1'128'240 TJ

- Hydro
- Nuclear fuel
- Crude oil
- Oil products
- Waste
- Gas
- Coal
- Wood
- Other renewables


Total: 23'440 TJ



in %

- Liquid biofuels
- Biogas
- Environmental heat
- Solar - Thermal
- Solar - PV
- Wind

Final Energy - CH 2014



Total: 825'770 TJ

- Gas
- Heating oil
- Kerosene
- Diesel
- Gasoline
- Electricity
- Coal
- Waste
- Wood
- District heat
- Other renewables

Total: 17'450 TJ




in %


- Liquid biofuels
- Biogas
- Environmental heat
- Solar

Energy per capita and year: 3.18 kW/cap

End-use shares by application




End-use by application: detail



Final energy use ...


- There are 5 energy end services:
 - Space heat 20°C
 - Sanitary hot water 40°C
 - Process heat >40°C
 - Electricity
 - Mobility



... and primary energy supply

- Key is to supply these end services in the most meaningful ways, considering:
 - Temperature level
 - Thermodynamics
 - Conversion technology
 - Scale of service / technology
 - **Efficiency**
 - **Savings**
 - Emissions, pollution, impact,...


Temporal evolution of final energy use



The link with the PIB

Fig. 15 Zusammenhang zwischen Energieverbrauch und wirtschaftlicher Entwicklung (1950–2014)

Relation entre la consommation finale et l'évolution économique (1950–2014)




Switzerland - Electricity

Temporal evolution of electricity production

Stromproduktion der Schweiz nach Erzeugerkategorien seit 1950


Production d'électricité de la Suisse selon les catégories de production, depuis 1950




Quelle: BFE, Schweizerische Elektrizitätsstatistik 2011

Source: OFEN, Statistique suisse de l'électricité 2011

Electricity balance: Production vs Consumption



Electricity production in Europe




Quelle: BFE, Schweizerische Elektrizitätsstatistik 2011
 Source: OFEN, Statistique suisse de l'électricité 2011

Energy prices : CH

- **Electricity**
 - Industry : 13 cts/ kWh
 - Households : 19 cts/kWh
- **Heating Oil**
 - 10 cts/kWh
- **Natural Gas**
 - 9.6 cts/kWh
- **Fuels**
 - 1.51 CHF/l => 15 cts/kWh

Energy in Switzerland

The Swiss Energy ...




www.bfe.admin.ch


 Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra

Bundesamt für Energie BFE
Office fédéral de l'énergie OFEN

Global - Energy



2019: 606 EJ
86% Non-renewable




The World Energy Balance

World

BALANCE (2019)

Petajoules ▾



72% of electricity is fossil based
52% losses in electricity generation


<http://www.iea.org/Sankey/>

For how much longer like this?

BP World energy statistics review 2013

Oil
Natural gas
Coal

*Either way, with coal providing 30%, oil 33% and gas 24% of world energy, **economic** reserves run out in less than a century*





112 yrs
of coal
64 yrs
of gas
54 yrs
of oil

OIL: despite increased consumption, world reserves go up...!

BP World energy statistics review 2013

2012 by region



Fossil fuel reserves-to-production ratios (years)



GAS: despite increased consumption, world reserves go up...!

BP World energy statistics review 2013

2012 by region




COAL: increased consumption + huge reserves, but they start to decline...!


BP World energy statistics review 2013

2012 by region


Fossil fuel reserves-to-production ratios (years)





100%
100% 100%
116% 88%
132%




Coal mines in the world




 Anthracite and Bituminous Coal  Lignite

Coal



Coal




Energy



14GJ/tonne 19GJ/tonne 24-30GJ/tonne 30-32GJ/tonne

Liquid and gas fuels




In the first 1 km, bacteria convert organic matter into kerogen (embryonic oil).

> 1 km, burying leads to a gradual transformation of the sediment rock and thermal degradation ($\sim 100^{\circ}\text{C}$) of kerogen.

Between 2 and 3 km, this is where the kerogen produces a lot of oil.

At 3.5 km, less to none oil is produced but lots of gas.

A geological cap captures the oil/gas



A - Piège structural: anticlinal


Drilling and extraction



Spontaneous extraction from the pressure of the well



Mechanical extraction




Enhanced oil and gas recovery by water/CO₂ injection
→ CO₂ sequestration

The biggest fields


| Field Name | Country | Discovery year | Range of URR [Gb] |
|-------------------|--------------|----------------|-------------------|
| Ghawar | Saudi Arabia | 1948 | 66-100 |
| Burgan Greater | Kuwait | 1938 | 32-60 |
| Safaniya | Saudi Arabia | 1951 | 21-36 |
| Bolivar Coastal | Venezuela | 1917 | 14-36 |
| Berri | Saudi Arabia | 1964 | 10-25 |
| Rumalia N&S | Iraq | 1953 | 22 |
| Zakum | Abu Dhabi | 1964 | 17-21 |
| Cantarell Complex | Mexico | 1976 | 11-20 |
| Manifa | Saudi Arabia | 1957 | 17 |
| Kirkuk | Iraq | 1927 | 16 |
| Gashsaran | Iran | 1928 | 12-15 |
| Abqaiq | Saudi Arabia | 1941 | 10-15 |
| Ahwaz | Iran | 1958 | 13-15 |
| Marun | Iran | 1963 | 12-14 |
| Samotlor | Russia | 1961 | 6-14 |
| Agha Jari | Iran | 1937 | 6-14 |
| Zuluf | Saudi Arabia | 1965 | 12-14 |
| Prudhoe Bay | Alaska | 1969 | 13 |

| Field | Country | Discovery Year | Ultimate Recoverable Reserves [Gb] |
|------------------|------------|----------------|------------------------------------|
| Kashagan | Kazakhstan | 2000 | 7-9 |
| Azadegan | Iran | 1999 | 6-9 |
| Roncador | Brazil | 1996 | 2.9 |
| Cusiana/Cupiagua | Colombia | 1991 | 1.6 |
| Sihil | Mexico | 1999 | 1.4 |
| Ourhoud | Algeria | 1994 | 1.2 |
| Thunder Horse | US GoM | 1999 | 1-1.5 |




Source: AAPG, UHDSG

Oil refinery



Natural gas

Top gas producing countries



Copyright World Energy Council 2015


Non convention gas and oil

Hydraulic fracking: Oil and Gas

High pressure (500 bar) water

Tensio-active and biocide compounds to ease the extraction


Water is extracted and has to be treated



Who consumes the oil?

BP World energy statistics review 2013


Oil consumption per capita 2012 (Toe)



Who consumes the gas?

BP World energy statistics review 2013


Gas consumption per capita 2012 (Toe)



Who consumes the coal?

BP World energy statistics review 2013

Coal consumption per capita 2012 (Toe)




- 0-0.25
- 0.25-0.5
- 0.5-1.0
- 1.0-1.5
- > 1.5

Where is the overall primary energy consumption?

BP World energy statistics review 2013

Primary energy consumption per capita 2012 (Toe)




- 0-1.5
- 1.5-3.0
- 3.0-4.5
- 4.5-6.0
- > 6.0

'Reserves' and 'fuel cost'

- The given reserves are proven and valid for current production rates, at present **economics**
- **Ultimate** reserves (physical) could be 10x larger for coal and 4-5x larger for oil and gas, recoverable at higher **cost**, and extending the use to several centuries
- Isn't renewable energy, by contrast, 'free' fuel?
- No! What matters is the **cost of harnessing** any fuel, anywhere (localization, extraction, storage, transport, conversion,...)
- In this way, only direct solar energy that warms your body could be considered free; else, when not considering the cost of harnessing, also gas, oil and coal are free fuels, made by nature!

2000 W society concept / 75% renewable


Primary Energy Consumption per capita in 2011



Source: Key World Energy Statistics, IEA, edition 2013,
Renewables Information IEA, edition 2012


2000 W / cap / year
1 t CO₂ / cap / year → 75% renewable

Time scale for fuel generation and consumption



Renewable = sustainable

Fuel generation time \leq fuel consumption time




Non renewable = stored energy

Fossil (and nuclear) fuels are like energy **capital**, in the 'bank' for present use. Once used, it's no longer replenished on the life scale of mankind.



Renewable \approx energy fluxes (mostly unstored)

Unlike 'burning energy capital', we have to **harvest** these fluxes on a 'daily' basis for our energy '**income**'.



Classification w.r.t. timescale

Instantaneous use
(seconds, minutes)

Short term storage
(days, weeks)

Medium term storage
(months, years)

V. long term storage
(millions of years)

SOLAR – DIRECT

WIND

BIOMASS

OIL

SOLAR – THERMAL

HYDRO

WASTES

GAS

SOLAR – P.V.

WAVES

GEOTHERMAL

COAL

WIND

TIDES


NUCLEAR

HYDRO

GEOTHERMAL


Classification w.r.t. origin

$$E = mc^2$$




Humankind and energy: ever on the rise

From renewable to fossil energies
... and back to renewable ?




Main drivers for rise in energy demand

Demographic growth...




..X..

...improvement of standard of living (e.g. BIP) ...



..X..

.. Energy intensity of energy service



Sustainability

Not only a 'source' issue, but now even more a 'sink' issue !



consumption rate >>> generation rate

emissions rate > 'recovery' rate


Burning of energy capital

Irreversible damageable impacts on the environment



Production [10^9 barrels/yr]



The sink: anthropogenic climate change






The green house effect




CO₂ absorbs IR radiation in its vibration states. The vibrating molecule re-emits the radiation which is absorbed by another GHG molecule. This absorption - emission - absorption cycle keeps the heat near the surface, effectively insulating the Earth from cold Space.

**relative importance
of anthropogenic
greenhouse gases**


Global warming is for at least half due to energy use



Measured data




CO2 emissions per capita



Source: Key World Energy Statistics, IEA, edition 2013


Carbon emissions, CO₂ conc. and temperatures variation



Hassol, 2004


Variation of the sea level (measured by satellite)

- Islands may disappear
- Inland saline water penetration underground



from Denhez,2005

Earlier grape collection!




from
Denhez,2005

Source : B. Seguin, Labo INRA Avignon, CNRS, <http://www.cnrs.fr>.

Coal combustion and its impact (Pekin, winter, 2014)

Concentration PM2.5




theguardian.com, Tuesday 25 February 2014 - *Chinese scientists have warned that the country's toxic air pollution is now so bad that it resembles a nuclear winter, slowing photosynthesis in plants – and potentially wreaking havoc on the country's food supply.*

Environmental impact

Marcellus field (US)

Land occupation
7-10 years of exploitation



Eau de Fracking


Waste mineralised water



Leakage in the aquifer




Leakage in the atmosphere



Under ground ? -> Earthquake


Environmental impact

- Importance of life cycle
 - Extraction
 - Treatment
 - Transport
 - Refinery
 - Distribution
 - Combustion



Geopolitical impacts (flows)

Map 3.1 Crude exports in 2020 and growth in 2014-20 for key trade routes



This map is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

Note: Excludes intra-regional trade.

* Includes Chile.

** Includes Israel. The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD and/or the IEA is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.

How to mitigate emissions and climate, while keeping the services

Sustainable development: meets needs of present without compromising ability of future generation

Sustainability



- 1 Economy
- 2 Environment
- 3 Society


→ Need for efficient, economical, renewable, and environmentally friendly energy technologies

Principal measures

1. Efficiency remains important
 - **ALL** technologies
 - Process integration and optimization
2. Decarbonization of energy services
3. Increase of renewable energy utilization
4. Electrification of services
5. Address the storage issue (seasonal; esp. for renewables)
6. Grids (development, management)
7. Consumer awareness; incentives

All are interconnected!

Pathways



Summary

1. Energy supply is still strongly fossil fuel based
2. Economic fossil reserves suffice for ca. 100 yrs, but the climate issue is more urgent
3. Transition to a sustainable energy economy needed